



## FOR IMMEDIATE RELEASE

### North American Public Relations Contact:

Tracy Bennett, Mighty Mo Media Partners  
Phone: 816-536-7903  
Email: [tbennett@mightymomedia.com](mailto:tbennett@mightymomedia.com)

### EMEA Public Relations Contact:

Christina Kirsten  
Phone: +49 421 3770 9890  
Email: [christina.kirsten@terex.com](mailto:christina.kirsten@terex.com)

### **Genie's Next Gen TraX System Delivers Reduced Maintenance Costs**

*Market-leading four-point track system available globally on five boom lifts up to 80 ft / 24 m class*

**Bothell, WA (Feb. 15, 2023)** – Genie's next generation TraX™ system has been redesigned to simplify maintenance while delivering the same “no compromises” performance customers have experienced from the market leading four-point track system.

Genie's Next Generation TraX will be on display at ARA Feb. 19-21, 2024, in Genie Booth #5339.

Genie® TraX is available as a factory-installed option on five popular boom lifts — two with standard lifting capacity (Z®-62/40 and S®-80 J) and three with Xtra Capacity™ lifting capacity (S-40 XC™, S-45 XC, and S-65 XC). This new Genie system is the only tracks system in the industry that can be fitted to high-capacity machines. By allowing the XC machines to maintain their dual capacity, the new Genie TraX increases the flexibility of the lifts, because it can be used on jobsites that require both additional lifting capacity and work on sensitive surfaces.

Four independent tracks ensure smooth break-over on rough terrain. Oscillating axles and the ability to swivel up and down by 22° enable the tracks to grip and climb over obstacles in the most extreme working conditions. The redesigned TraX system comes in two sizes: a small frame (for S-40 XC and S-45 XC machines) and a large frame (for S-65 XC, Z-62/40, and S-80 J lifts).

With 50% fewer serviceable parts than other tracks systems on the market, inspections are streamlined. Aside from the rubber track and the frame, all parts are common between the small and large TraX systems, reducing parts inventory requirements for rental companies.

In addition, tracks can be swapped for tires (time to swap varies depending on the model), providing greater flexibility in terms of resale options. Additionally, Genie will offer aftermarket upgrade kits to convert 2024 and newer S-65 XC and Z-62/40 boom lift models from wheels to TraX (some restrictions apply). These kits will launch at a future date.

“Customers in telecommunications, oil and gas industries, quarries, tree care, and construction have been using TraX-equipped boom lifts for more than 15 years in all seasons and terrains — from rocky slopes to sand and gravel pits, in snow and ice,” said Sean Larin, Genie Global Product Director, Booms. “Redesigned TraX-equipped boom lifts have been rigorously tested in these environments and exceeded Genie’s high standard for durability and reliability.”

Genie TraX systems offer an average of 72% less contact pressure compared with standard tire options. This is due to their broader weight distribution, which may provide more options to operate TraX boom lifts on sensitive, low-weight floors or in muddy terrain without placing mats or cribbing to support the machine’s weight.

### Genie TraX Boom Lift Models

Model	Max Platform Height	Max Working Height	Capacity	Weight	Track contact pressure
S-40 TraX (ANSI markets only)	39 ft 8 in / 12,09 m	45 ft 8 in / 14,09 m	Unrestricted: 660 lb/300 kg Restricted: 1000 lb/454 kg	17 120 lb / 7,765 kg	22 psi / 151,7 kPa
S-45 TraX	44 ft 8 in / 13,61 m	50 ft 8 in / 15,61 m	Unrestricted: 660 lb/300 kg Restricted: 1000 lb/454 kg	19 010 lb / 8,623 kg	25 psi / 172,4 kPa
Z-62/40 TraX	62 ft 1 in / 18.92 m	68 ft 1 in / 20.92 m	500 lb / 227 kg	26,933 lb / 12,217 kg	12.5 psi / 86 kPa
S-65 TraX	65 ft 2 in / 19.86 m	71 ft 2 in / 21.86 m	Unrestricted: 660 lb/300 kg Restricted: 1000 lb/454 kg	28,877 lb / 13,098 kg	28 psi / 193 kPa

S-80 J TraX	80 ft 7 in / 24.56 m	86 ft 7 in / 26.56 m	600 lb / 300 kg	29,588 lb / 13,421 kg	33 psi / 227.5 kPa
-------------	-------------------------	-------------------------	-----------------	--------------------------	-----------------------

**Availability**

The next generation Genie TraX System will be available for delivery globally in Q1 2024.

###

**About Genie**

Since 1966, Genie has been the leading name in the aeriels industry. With offices, team members and manufacturing facilities around the globe, Genie lifts and telehandlers can be found enhancing safety and improving productivity on jobsites worldwide. Genie’s ongoing leadership in aerial lifts and material handlers is built on our ability to consistently deliver superior quality for our customers. At Genie, we achieve this **quality** not by chance, but **by design**. For more information on Genie products and services, visit [www.genielift.com](http://www.genielift.com).