

GENIE® ACCESSORIES FOR GTH™ TELEHANDLERS

CUSTOMIZE YOUR JOBSITE WORKHORSE



TABLE OF CONTENTS

Introduction	3
Fork Options	4 - 5
Carriages, Truss Booms, Universal Adapters	6 - 7
Auger Options	8 - 9
Tire Options	10
Seat	11
Cabin Glass	12
Work Lights	13
Filter Kits	14
Other Accessories	15



Quality Fit, Every Time

Genie's commitment to quality means Genie® Genuine Parts deliver the dependability you and your customers count on to maximize uptime and productivity.

Anytime you need to replace a part, you can have confidence that Genie Genuine Parts were engineered specifically for your equipment.



Pick the Right Tools

Choose and Maintain your Genie Telehandler Forks



- ⤴ Replace Worn Forks: According to the ANSI / ITSDF B56.6 standard, forks must be replaced when their thickness is reduced to 90% of the original thickness. If a fork reaches this limit, it must be removed from service immediately.
- ⤴ Replace Forks in Pairs: Uneven wear on a single fork can cause unstable load conditions, leading to potential hazards. To maintain stability and safety, always replace forks in pairs.
- ⤴ Use a Fork Wear Inspection Toolkit: Regular inspections help prevent failures. Use the Fork Wear Inspection Toolkit (PN 1336825GT) to assess wear and ensure compliance across your fleet.



FA
Pallet Forks

Ideal for loading, unloading, and transporting pallets in material handling, warehousing and manufacturing settings



FA
Cubing Forks

Designed for handling cubed loads like bricks and pavers, commonly used in specialized warehousing and construction



FA
Lumber Forks

Thinner than traditional forks, these slide easily between layers of lumber, enhancing flexibility for operators in warehouses, lumber yards, and construction sites



FA
Full Tapered Forks

The gradual narrowing of the tines allows access to loads in tight spaces where pallet forks may not reach, minimizing damage to lifted materials

F = Factory Installed
A = Aftermarket

ANSI ✓ **STANDARDS**

Genie Telehandler Forks

Forks ordered in pairs are dropshipped from our partner locations across North America. Individual forks are stocked and available from Genie warehouses throughout the U.S., as per the table below.

DESCRIPTION	PAIR VOLUME	FORK LENGTH	FORK WIDTH	PART NUMBER		MACHINE
				FORK PAIR	INDIVIDUAL FORK	
Pallet Fork	5,500 lb	48 in	4 in	216560GT		GTH-5519
	5,500 lb	60 in	1.58 in	216561GT		GTH-5519
	8,000 lb	48 in	4 in	1255050GT-PAIR	1255050GT	GTH-636, GTH-844
	8,000 lb	60 in	4 in	1255051GT-PAIR	1255051GT	GTH-636, GTH-844
	8,000 lb	72 in	4 in	1255052GT-PAIR	1255052GT	GTH-636, GTH-844
	10,000 lb	48 in	4 in	1254548GT-PAIR	1254548GT	GTH-1044, GTH-1056
	10,000 lb	60 in	4 in	1254549GT-PAIR	1254549GT	GTH-1044, GTH-1056
	10,000 lb	72 in	4 in	1254550GT-PAIR	1254550GT	GTH-1044, GTH-1056
	10,000 lb	96 in	5 in	1321438GT-PAIR	1321438GT	GTH-1044, GTH-1056
	12,000 lb	48 in	4 in	1312786GT-PAIR	1312786GT	GTH-1244, GTH-1256
	12,000 lb	60 in	4 in	1312747GT-PAIR	1312747GT	GTH-1244, GTH-1256
	12,000 lb	72 in	4 in	1312764GT-PAIR	1312764GT	GTH-1244, GTH-1256
Heavy Duty Fork	7,000 lb	48 in	4 in	51.1301.9236GT-PAIR	51.1301.9236GT	GTH-5519
Full Tapered Fork	10,000 lb	60 in	5 in	1254552GT-PAIR	1254552GT	GTH-1044, GTH-1056
	12,000 lb	60 in	5 in	1312768GT-PAIR	1312768GT	GTH-1244, GTH-1256
Lumber	8,000 lb	60 in	7 in	3-1467-60GT-PAIR	3-1467-60GT	GTH-636, GTH-844
	10,000 lb	60 in	7 in	1254553GT-PAIR	1254553GT	GTH-1044, GTH-1056
	12,000 lb	60 in	7 in	1312782GT-PAIR	1312782GT	GTH-1244, GTH-1256
Cubing	2,000 lb	48 in	2 in		3-1085-10GT	GTH-636, GTH-844
	2,000 lb	48 in	2 in		1254551GT	GTH-1044, GTH-1056, GTH-1244, GTH-1256



STANDARDS

 = Factory Installed
 = Aftermarket

Job Flexibility

GTH Telehandler Attachments



Carriages

Carriages, available in standard quick attach, side shift, rotate, and swing styles, enable your telehandler to handle a wider range of jobsite tasks with greater efficiency



Buckets

Durable, reinforced buckets are available to suit your bulk material handling needs; available in standard, heavy duty and grapple style



Truss Booms

The perfect solution for overhead lifting, such as trusses or bulky materials



Universal Adapters

Increase the versatility of your fleet with an adapter that allows you to attach a wide variety of skid steer-type attachments in seconds

 = Factory Installed
 = Aftermarket



STANDARDS

Adapters and Buckets

DESCRIPTION	PART NUMBER	MACHINE
Universal Skid Steer Adapter	117543GT	GTH™-5519
Industrial Grapple Bucket	117930GT	
Heavy Duty Multi-Purpose Bucket	117687GT	
Cutting Edge Kit	236372GT	
72 in 1.00 CU YD Heavy Duty Multi-Purpose Bucket	1322426GT	GTH-636, GTH-844
96 in 1.50 CU YD Heavy Duty Multi-Purpose Bucket	1322427GT	GTH-1044, GTH-1244, GTH-1056, GTH-1256

Truss Boom

DESCRIPTION	MAX REACH	PART NUMBER	MACHINE
Fixed Reach	6 ft 1.8 m	117580GT	GTH-5519
Variable Reach	8 ft 2.4 m	1254389-SGT	GTH-1056
Variable Reach	13 ft 4 m	1322425GT	GTH-636, GTH-844, GTH-1044, GTH-1244, GTH-1056, GTH-1256

Carriages

DESCRIPTION	SIZE	PART NUMBER	MACHINE
Standard Carriage	48 in 122 cm	216559GT*	GTH-5519
		226814GT	GTH-636, GTH-844
		1254390GT	GTH-1056
		1316563GT	GTH-1256
	60 in 152 cm	226813GT	GTH-636, GTH-844
		1254391GT	GTH-1056
		1316569GT	GTH-1256
	72 in 183 cm	226812GT	GTH-636, GTH-844
		1254392GT	GTH-1056
		1316573GT	GTH-1256
Rotate Carriage	48 in 122 cm	117884GT	GTH-5519
		822265GT	GTH-636, GTH-844
		1254383GT	GTH-1056, GTH-1256
	60 in 152 cm	214918GT	GTH-636, GTH-844
		1255635GT	GTH-1044, GTH-1056, GTH-1256
		1254384GT	GTH-1056, GTH-1256
	72 in 183 cm	1254385GT	GTH-1056, GTH-1256
		55.0750.0129GT	GTH-1256, GTH-1544
Swing Carriage	72 in 183 cm	1259576GT	GTH-636, GTH-844, GTH-1044, GTH-1056, GTH-1256
		1254386GT	GTH-1056, GTH-1256
Side-Shift Carriage	48 in 122 cm	117883GT	GTH-5519
		1322421GT	GTH-636, GTH-844
		1322423GT	GTH-1056, GTH-1256, GTH-1044, GTH-1244
Fork Positioner Carriage	48 in 122 cm	1322422GT	GTH-636, GTH-844
		1322424GT	GTH-1056, GTH-1256, GTH-1044, GTH-1244

*Carriage only, order pin / hardware separately



STANDARDS

F = Factory Installed

A = Aftermarket

Groundbreaking Attachments

Auger Drive motors for the GTH-5519 Telehandler

Tear through the ground effortlessly with an auger attachment for your telehandler. Specifically designed for the GTH-5519, high-pressure capabilities make drilling swift and efficient. The GTH-5519 auger drive motor is also compatible with both high- and standard-flow skid steers, providing adaptability across various equipment types.

Built for durability and longevity, the auger drive motors reduce the need for frequent replacements and maintenance, ensuring reliable performance over time.



FRAME ASSEMBLY	GEARBOX ASSEMBLY	AUGER COMPONENTS
1327911GT (For use with GTH-5519)	1327906GT	Augers Auger Extensions Operators' Manual
1327910GT (For use with Skid Steer Loaders)	1327907GT	
	1327908GT*	
	1327909GT*	

*Order 1327912GT for Halo Battery Kit

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
1327906GT	GENIE 5K-GEARBOX ASSEMBLY-2.5" HEX	1327920GT	AUGER, 20" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327907GT	GENIE 3K-GEARBOX ASSEMBLY-2.5" HEX	1327921GT	AUGER, 24" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327908GT	GENIE 5K-GEARBOX ASSEMBLY-2.5" HEX-HALO	1327922GT	AUGER, 30" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327909GT	GENIE 3K-GEARBOX ASSEMBLY-2.5" HEX-HALO	1327923GT	AUGER, 36" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327910GT	FRAME ASSY, MULTIFIT-H. DUTY CENTER MOUNT FRAME	1327924GT	AUGER, 40" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327911GT	FRAM ASSY, GTH-5519 H DUTY CENTER MOUNT FRAME	1327925GT	AUGER, 48" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL
1327912GT	HALO BATTERY KIT	1327926GT	AUGER, 8" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327992GT	AUGER ADAPTER - 2.5" HEX FEMALE 2" HEX MALE	1327927GT	AUGER, 9" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327913GT	AUGER, 8" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327928GT	AUGER, 10" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327914GT	AUGER, 9" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327929GT	AUGER, 11" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327915GT	AUGER, 10" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327930GT	AUGER, 14" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327916GT	AUGER, 12" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327931GT	AUGER, 16" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327917GT	AUGER, 14" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327932GT	AUGER, 18" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327918GT	AUGER, 16" DIA, 2w.5" DRIVE, FLAT TOOTH, GENERAL	1327933GT	AUGER, 20" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK
1327919GT	AUGER, 18" DIA, 2.5" DRIVE, FLAT TOOTH, GENERAL	1327934GT	AUGER, 24" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK

= Factory Installed
 = Aftermarket

STANDARDS

PART NUMBER	DESCRIPTION	PART NUMBER	DESCRIPTION
1327935GT	AUGER, 30" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK	1327964GT	AUGER EXTENSION, 6 FOOT, OUTER, 2.5" DRIVE
1327936GT	AUGER, 36" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK	1327965GT	AUGER EXTENSION, 8 FOOT, OUTER, 2.5" DRIVE
1327937GT	AUGER, 40" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK	1327966GT	AUGER EXTENSION, 10 FOOT, OUTER, 2.5" DRIVE
1327938GT	AUGER, 48" DIA, 2.5" DRIVE, FLAT TOOTH, SOFT ROCK	1327967GT	AUGER EXTENSION, 4 FOOT, INNER, 2.5" DRIVE
1327939GT	AUGER, 6" DIA, 2.5" DRIVE, TAPERED TOOTH, ALL PURPOSE	1327968GT	AUGER EXTENSION, 6 FOOT, INNER, 2.5" DRIVE
1327940GT	AUGER, 8" DIA, 2.5" DRIVE, TAPERED TOOTH, ALL PURPOSE	1327969GT	AUGER EXTENSION, 8 FOOT, INNER, 2.5" DRIVE
1327941GT	AUGER, 9" DIA, 2.5" DRIVE, TAPERED TOOTH, ALL PURPOSE	1327970GT	PIN LINKAGE KIT
1327942GT	AUGER, 10"DIA,2.5" DRIVE, TAPERED TOOTH, ALL PURPOSE	1327971GT	PIN, HOOD/BAIL
1327943GT	AUGER, 12"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327972GT	LYNCH PIN, BLACK
1327944GT	AUGER, 14"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327973GT	PIN, 2.5" DRIVE
1327945GT	AUGER, 16"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327974GT	DRIVE FRAME, SKID STEER, MULTIFIT
1327946GT	AUGER, 18"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327975GT	DRIVE FRAME, GTH-5519
1327947GT	AUGER, 20"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327976GT	OUTPUT SHAFT SEAL
1327948GT	AUGER, 24"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327977GT	O-RING, GEARBOX
1327949GT	AUGER, 30"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327978GT	SEAL KIT, 6K FRONT MOTOR
1327950GT	AUGER, 36"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327979GT	SEAL KIT, 6K REAR MOTOR
1327951GT	AUGER, 40"DIA,2.5" DRIVE, TAPERED TOOTH, ALL PURPOSE	1327980GT	PILOT KIT, MEDIUM, HEX DRIVE, GENERAL
1327952GT	AUGER, 48"DIA, 2.5"DRIVE, TAPERED TOOTH, ALL PURPOSE	1327981GT	TOOTH, MEDIUM, GENERAL
1327953GT	AUGER, 6" DIA, 2.5" DRIVE, HEAVY DUTY	1327982GT	TOOTH, MEDIUM CHISEL, GENERAL
1327954GT	AUGER, 9" DIA, 2.5" DRIVE, HEAVY DUTY	1327983GT	TOOTH, MEDIUM, SOFT ROCK
1327955GT	AUGER, 12" DIA, 2.5" DRIVE, HEAVY DUTY	1327984GT	TOOTH, MEDIUM CHISEL, SOFT ROCK
1327956GT	AUGER, 14" DIA, 2.5" DRIVE, HEAVY DUTY	1327985GT	PILOT KIT, HEAVY DUTY
1327957GT	AUGER, 16" DIA, 2.5" DRIVE, HEAVY DUTY	1327986GT	TOOTH, TAPER POINT, OUTER
1327958GT	AUGER, 18" DIA, 2.5" DRIVE, HEAVY DUTY	1327987GT	TOOTH, TAPER POINT, INNER
1327959GT	AUGER, 24" DIA, 2.5" DRIVE, HEAVY DUTY	1327988GT	TOOTH, AUGER BODY, SHORT, CAPPED, HEAVY DUTY
1327960GT	AUGER, 30" DIA, 2.5" DRIVE, HEAVY DUTY	1327989GT	TOOTH, AUGER BODY, LONG, INSTERTED, HEAVY DUTY
1327961GT	AUGER, 36" DIA, 2.5" DRIVE, HEAVY DUTY	1327990GT	PILOT, 19PK, 2 3/8" API THREAD
1327962GT	AUGER EXTENSION, 4 FOOT, OUTER, 2.5" DRIVE	1327991GT	KIT, PILOT, 19PK TANG DRIVE
1327963GT	AUGER EXTENSION, 5 FOOT, OUTER, 2.5" DRIVE	1327993GT	OPERATOR'S MANUAL, GENIE AUGER



STANDARDS

= Factory Installed
 = Aftermarket

Durable and Made to last

Tires for Genie Telehandlers



These durable tires are resistant to abrasions, cuts, and chips, providing a secure and comfortable ride with fewer replacements.

Multiple tread patterns suit various applications: rough terrain tires offer traction on muddy and wet ground, non-marking tires prevent marks on concrete, and turf tires are ideal for sensitive surfaces.

Enduro A/T™ Tires

- Longer life: Up to 30% longer life than comparable OEM tires
- Center tread: Ensures smooth ride and is wear-resistant on rocky terrain
- Outside tread: Increased surface area and wide spacing for traction in mud and dirt

DESCRIPTION	PART NUMBER					MACHINE
	FOAM FILLED ASSEMBLIES		AIR FILLED ASSEMBLIES		TIRE ONLY	
	RIGHT	LEFT	RIGHT	LEFT		
Standard Black	1316039GT	1316038GT	1316041GT	1316040GT	09.4627.0018GT	GTH-5519
Non-Marking	1316061GT	1316060GT			1303102GT	
Solid**	55.0403.0081GT					
Turf			1298023GT		1298024GT	
Standard Black	1303213GT	1303214GT	1303210GT	1303211GT	1303243GT	GTH-636
Non-Marking	1303647GT				1303659GT	
Solid**	1303662GT				1303670GT	
Enduro A/T	1303230GT		1303228GT		1303244GT	
Standard Black	1303225GT	1303226GT	1303222GT	1303223GT	1303243GT	GTH-844
Non-Marking	1303651GT				1303659GT	
Solid**	1303664GT				1303670GT	
Enduro A/T	1303234GT		1303232GT		1303244GT	
Solid**	1303666GT				1303668GT	GTH-1044 GTH-1244 GTH-1056
Enduro A/T	1311584GT		1310950GT		1310948GT	
Standard Black	1303219GT	1303220GT	1303217GT	1303216GT	1303240GT	GTH-1056
Non-Marking	1303655GT				1303657GT	
Solid**	1303666GT				1303668GT	GTH-1256
Enduro A/T	1311584GT		1310950GT		1310948GT	

** Solid tires are not air or foam filled. Part number is solid tire / wheel assembly

= Factory Installed
 = Aftermarket



STANDARDS

Quality Comfort

Genie GTH Seats

Seat features include multiple adjustment points for customized ergonomic positioning, built-in armrests for added support, and a suspension seat that absorbs shocks for a smoother ride.

Constructed with durability in mind, these seats ensure long-lasting performance while promoting operator comfort and reducing fatigue during long hours of operation.



DESCRIPTION	PART NUMBER		
	GTH-5519	GTH-636, GTH-844	GTH-1056, GTH-1256, GTH-1044, GTH-1244
Seat Assembly	09.4610.0056GT	1276678GT	1296180GT
Seat Bottom	07.0703.0509GT	1253474GT	1296541GT
Seat Back	07.0703.0508GT	1253475GT	1296542GT
Seat Belt	09.4610.0043GT	1277224GT	1296540GT
Seat Belt		1289660GT	
Arm Rest		229304GT (Pad)	1296539GT
Arm Rest		1263776GT (Arm Support)	
Knob	07.0723.0717GT	1263770GT	
Track		1263771GT	1296538GT
Cable Tether Kit		1263774GT	1296568GT
Shock Absorber, Seat	09.4610.0025GT		
Seat Adjustment Handle		1260062GT	



STANDARDS

 = Factory Installed

 = Aftermarket

360° View

Genie GTH Glass



Genie offers a high-quality range of glazing specifically designed for GTH cab models, ensuring a perfect fit and reliable performance.

Each glass assembly comes complete with pre-installed weather stripping, all necessary hardware, and the windshield wiper assembly where applicable, making installation quick and hassle-free while providing optimal protection and visibility for the operator.

DESCRIPTION	PART NUMBER			
	GTH-5519		GTH-636, GTH-844, GTH-1056, GTH-1256, GTH-1044, GTH-1244	
	Assemblies	Glass Only	Assemblies	Glass Only
Windshield (Front) Glass			230043GT	230044GT
Right Side Glass		07.0723.0165GT	231330GT	230045GT
Right Rear Window			236782GT	236783GT
Roof (Skylight) Glass		07.0723.0168GT	230008GT	230007GT
Rear Glass		07.0723.0760GT	130164GT	130161GT
Upper Door Frame	07.0723.0684GT	07.0723.0426GT	231118GT	231119GT
Left Side Glass		07.0723.0764GT	130243GT	130132GT

 = Factory Installed

 = Aftermarket

 **STANDARDS**

Light the Way

Work and Road Light Kits



Genie work and road light kits are designed to improve visibility during night and low-light operations, helping operators work more confidently and safely in challenging conditions.

By enhancing visibility, these integrated lights contribute to increased worker productivity and efficiency on the jobsite. Their built-in design also helps save time and money by reducing the need for external lighting solutions and minimizing installation effort.

DESCRIPTION	PART NUMBER
	GTH-5519
Work	58.2513.9048GT
Road	58.1701.4027GT



= Factory Installed
 = Aftermarket

Maintenance Made Easy

Genie Genuine Engine Filter Kits



Genie filter kits offer a convenient, single part number solution that includes everything you need for routine engine maintenance. Each kit contains 500-hour service filters, securely packaged for easy handling and transport.

Designed to simplify maintenance and reduce downtime, these kits help you save money while keeping your equipment running at peak performance

DESCRIPTION	PART NUMBER	MACHINE
Deutz TD 2.9L4 T4F	1278719GT	GTH-5519
Deutz TD 2.9L4 T4F	1278721GT	GTH-844
Deutz TCD 3.6L T4F 121 HP	1307312GT	GTH-1044 GTH-1056 GTH-1244 GTH-1256
Deutz TD 2.9L4 T4F	1307311GT	GTH-636

 = Factory Installed
 = Aftermarket

 **STANDARDS**

Other Accessories



Rear Proximity Alarm

Sensors identify potential obstacles within a close radius of the back of the machine, and alert the operator via visual and auditory warnings.

Flashing Beacon

When mounted to the top of the telehandler's cab, these orange flashing lights warn workers when the telehandler is in motion.



Fire Extinguisher

An optional fire extinguisher is available for your Genie GTH Telehandler, providing an added layer of safety on the jobsite.



Oil Pan Heater

For use in cold weather conditions, the oil pan heater aids in machine start-up by keeping the engine oil warmed while the machine is not in use.

DESCRIPTION	PART NUMBER	TYPE	MACHINE
Fire Extinguisher	123563GT		GTH-5519, GTH-636, GTH-844, GTH-1056 and GTH-1256
Flashing Beacon	58.1701.4047GT		
Rear Proximity Alarm	1257987GT	Sensor	
	1257988GT	Display	
	1275497GT	Kit	
Oil Pan Heater	123518GT	Deutz / Perkins	GTH-5519
	128274GT	Deutz, 120V, 150W	GTH-5519



STANDARDS

 = Factory Installed
 = Aftermarket

Worldwide Manufacturing And Distribution

Australia • Brazil • Caribbean • Central America • China • France • Germany • Italy • Japan • Korea • Mexico
Southeast Asia • Spain • Sweden • United Arab Emirates • United Kingdom • United States

Toll Free in USA/Canada **+1 (800) 536-1800** • Telephone **+1 (425) 881-1800** • Fax +1 (425) 883-3475

20021 120th Ave NE, Bothell, WA 98011

Effective Date: June 2025. Product specifications and prices are subject to change without notice of obligation. The video, audio, photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and we make no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade names of Terex Corporation and/or their subsidiaries in the U.S. and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. 2024 Terex Corporation.

© 2025 Terex Corporation Terex. Genie is a trademark of Terex Corporation or its subsidiaries.